

Sub
A1
WHAT IS CLAIMED IS:

1. A dustproof cover for a connector comprising:
a cap-shape cover; and
a packing protecting portion provided by extending an end of an opening of a peripheral wall of said cover;
wherein said cover is fitted to a connector so as to cover a front-end fitting surface of said connector from a front side of said connector and wherein said packing protecting portion covers a packing exposed around an outer peripheral portion of said connector.

2. A dustproof cover for a connector according to claim 1, wherein an inner peripheral surface of said packing protecting portion is formed in such a manner as to be brought into close contact with said packing.

3. A dustproof cover for a connector according to claim 1, further comprising:

an engaging projection provided on an inner surface of said peripheral wall of said cover;

wherein, said engaging projection is engaged with a lock arm provided on the outer periphery of said connector.

Sub
A2
4. A prefitting dustproofing structure for a connector whereby said connector is provided with dustproof protection

before said connector is fitted to a mating connector,

wherein a dustproof cover according to claim 1 is fitted to the outer periphery of said connector from its front side of said connector, and said packing is protected by said packing protecting portion of said dustproof cover.

5. A prefitting dustproofing structure for a connector comprising:

a connector provided with a packing exposed around an outer peripheral portion of a rear end of said connector; and

a dustproof cover having a packing protecting portion provided by extending an end of an opening of a peripheral wall thereof;

wherein said dustproof cover is fitted to the outer periphery of said connector so as to cover a front-end fitting surface of a connector from a front side of said connection, and said packing protecting portion covers said packing.

6. A prefitting dustproofing structure for a connector according to claim 5, wherein an inner peripheral surface of said packing protecting portion is formed in such a manner as to be brought into close contact with said packing.

7. A prefitting dustproofing structure for a connector according to claim 5,

wherein said dustproof cover comprises an engaging
projection provided on an inner surface of said peripheral wall
of said cover and said connector comprises a lock arm on the
outer periphery thereof, and

wherein, said engaging projection is engaged with said
lock arm when said dustproof cover is fitted to said connector.

00044505 020004